

PUBLIC USE DATA FILE

CODEBOOK

Kenya 2014

18AUG2016

Contents

Summary	3
Survey Design Variables	4
Household Variables	6
Background Characteristics.....	10
Tobacco Smoking.....	18
Smokeless Tobacco	31
Cessation.....	43
Secondhand Smoke	54
Economics.....	64
Media.....	71
Knowledge, Attitudes & Perceptions.....	85

Summary

The Global Adult Tobacco Survey (GATS), a component of Global Tobacco Surveillance System (GTSS), is a global standard for systematically monitoring adult tobacco use and tracking key tobacco control indicators. GATS is a nationally representative household survey of adults 15 years of age or older using a standard core questionnaire, sample design, and data collection and management procedures that were reviewed and approved by international experts. GATS is intended to enhance the capacity of countries to design, implement and evaluate tobacco control interventions.

GATS is designed to produce national and sub-national estimates among adults across countries. The target population includes all non-institutionalized men and women 15 years of age or older who consider the country to be their usual place of residence. All members of the target population are sampled from the household that is their usual place of residence. All GATS countries use country-specific stratified multi-stage cluster sampling designs and an interview consisting of a household screening component and an individual component administered to the selected respondent. Data are collected using electronic handheld devices.

GATS Kenya was conducted in 2014 using a multistage stratified cluster sample design. The sample size was 5,376 selected households with 4,408 completed individual interviews. The GATS Kenya questionnaire included core questions about background characteristics, tobacco smoking, smokeless tobacco, cessation, secondhand smoke, economics, media, and knowledge, attitudes and perceptions. Questions were adapted in each section, then reviewed and approved by a questionnaire expert review committee. The questionnaire was administered using a software program developed by RTI International for electronic data collection using handheld computers.

Personally-identifying information in the data file has been removed from this data file to protect confidentiality. Due to the complex sample design, clustering, stratification and sample weights should be taken into account for data analysis in order to obtain proper point estimates and variances. The stratification, cluster and sample weight variables are `gatsstrata`, `gatscluster` and `gatsweight`, respectively. To access the GATS Kenya fact sheet and country report, please visit: www.cdc.gov/tobacco/global/.

Survey Design Variables

CASEID Type = Numeric

CASEID. Family CASEID

GATSSTRATA Type = Numeric

Sampling Strata

GATSCLUSTER Type = Numeric

Sampling PSU

GATSWEIGHT Type = Numeric

Final Sample Weight

SELECTEE Type = Numeric

Selectee. HH Selected subject number

INTLANG Type = Numeric

Interview language

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	English.....	1,903	43.2	41.7
2	Kiswahili	2,505	56.8	58.3
Blank	Missing/Not Applicable.....	0		

RESIDENCE Type = Numeric

Urban/Rural Residence

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Urban.....	2,263	51.3	35.0
2	Rural	2,145	48.7	65.0
Blank	Missing/Not Applicable.....	0		

Household Variables

HH1

Type = Numeric

First, I'd like to ask you a few questions about your household. In total, how many persons live in this household?

Summary

Minimum	1
Maximum	20
Valid Case	4,408
Blank (Missing/Not Applicable).....	0

HH2

Type = Numeric

How many of these household members are 15 years of age or older?

Summary

Minimum	1
Maximum	8
Valid Case	4,408
Blank (Missing/Not Applicable).....	0

HH4B

Type = Numeric

What is this person's age?

Summary

Minimum	15
Maximum	110
Valid Case	4,408
Blank (Missing/Not Applicable).....	0

HH4B01 - HH4B20

Type = Numeric

What is this person's age?

HH4C

Type = Numeric

What is the month of this person's date of birth?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	January.....	13	6.2	6.6
2	February.....	8	3.8	3.7
3	March.....	11	5.3	7.1
4	April.....	14	6.7	8.5
5	May.....	12	5.7	5.6
6	June.....	19	9.1	10.1
7	July.....	11	5.3	6.7
8	August.....	9	4.3	3.8
9	September.....	2	1.0	1.4
10	October.....	12	5.7	5.2
11	November.....	18	8.6	4.7
12	December.....	10	4.8	4.9
77	Don't Know.....	70	33.5	31.7
99	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,199		

HH4C01 - HH4C20

Type = Numeric

What is the month of this person's date of birth?

HH4CYEAR

Type = Numeric

What is the year of this person's date of birth?

Summary

Minimum.....	1986
Maximum.....	1999
Valid Case.....	194
7777 (Don't know).....	15
9999 (Refused).....	0
Blank (Missing/Not Applicable).....	4,199

HH4CYEAR01 - HH4CYEAR20

Type = Numeric

What is the year of this person's date of birth?

HH4D

Type = Numeric

Is this person male or female?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Urban.....	2,079	47.2	48.9
2	Rural.....	2,329	52.8	51.1
Blank	Missing/Not Applicable.....	0		

HH4D01 - HH4D20

Type = Numeric

Is this person male or female?

HH4E

Type = Numeric

Does this person currently smoke tobacco, including cigarettes, cigars, pipes, shisha/hookar?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	516	11.7	9.0
2	No	3,883	88.1	90.3
7	Don't Know	9	0.2	0.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

HH4E01 - HH4E20

Type = Numeric

Does this person currently smoke tobacco, including cigarettes, cigars, pipes, shisha/hookar?

HH4F

Type = Numeric

What is the selected person's relationship to the head of household?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Head	2,618	59.4	41.9
2	Wife/Husband	1,060	24.0	24.8
3	Son/Daughter	480	10.9	22.7
4	Son/Daughter In-Law	25	0.6	0.8
5	Grandchild	42	1.0	1.8
6	Parent	14	0.3	0.5
7	Parent In-Law	3	0.1	0.0
8	Adopted/Foster/Stepchild	8	0.2	0.3
9	Brother/Sister	44	1.0	1.5
10	Niece/Nephew By Blood	25	0.6	1.4
11	Niece/Nephew By Marriage	3	0.1	0.3
12	Other Relative	32	0.7	1.8
13	Not Related	54	1.2	2.2
77	Don't Know	0	0.0	0.0
99	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Background Characteristics

Global Adult Tobacco Survey - Kenya, 2014

AGE

Type = Numeric

Respondent age

Summary

Minimum	15
Maximum	110
Valid Case	4,408
Blank (Missing/Not Applicable).....	0

A01

Type = Numeric

Record gender from observation. Ask if necessary

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Male.....	2,077	47.1	48.8
2	Female	2,331	52.9	51.2
Blank	Missing/Not Applicable.....	0		

A02A

Type = Numeric

What is the month of your date of birth?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	January.....	224	5.1	5.1
2	February	203	4.6	4.9
3	March	189	4.3	4.9
4	April	263	6.0	6.8
5	May.....	245	5.6	5.8
6	June.....	231	5.2	6.0
7	July	236	5.4	6.7
8	August	277	6.3	6.4
9	September.....	174	3.9	4.4
10	October.....	188	4.3	4.5
11	November.....	195	4.4	5.0
12	December.....	276	6.3	6.8
77	Don't Know	1,707	38.7	32.7
99	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	0		

A02B

Type = Numeric

What is the year of your date of birth?

Summary

Minimum	1903
Maximum	1999
Valid Case	3,999
7777 (Don't know).....	406
9999 (Refused).....	3
Blank (Missing/Not Applicable).....	0

Global Adult Tobacco Survey - Kenya, 2014

A03

Type = Numeric

How old are you?

Summary

Minimum	15
Maximum	110
Valid Case	1,720
Blank (Missing/Not Applicable).....	2,688

A03A

Type = Numeric

[WAS RESPONSE ESTIMATED?]

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	957	55.6	52.2
2	No	758	44.1	47.4
7	Don't Know	5	0.3	0.4
Blank	Missing/Not Applicable	2,688		

A12

Type = Numeric

Can you read and write?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,236	73.4	80.6
2	No	1,171	26.6	19.3
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	0		

A04

Type = Numeric

What is the highest level of education you have completed?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	No Formal Schooling.....	950	21.6	13.7
2	Less Than Primary School Completed.....	965	21.9	24.6
3	Primary School Completed	892	20.2	21.3
4	Less Than Secondary School Completed.....	403	9.1	11.6
5	Secondary School Completed.....	761	17.3	19.3
6	Tertiary College Completed	331	7.5	7.0
7	University Completed	96	2.2	2.4
8	Post Graduate Degree Completed.....	9	0.2	0.1
77	Don't Know	1	0.0	0.0
99	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Global Adult Tobacco Survey - Kenya, 2014

A05

Type = Numeric

Which of the following best describes your *main* work status over the past 12 months? Government employee, non-government employee, self-employed, student, homemaker, retired, unemployed-able to work, or unemployed-unable to work?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Government Employee	239	5.4	3.4
2	Non-Government Employee	606	13.7	12.0
3	Self-Employed	1,627	36.9	31.9
4	Student	373	8.5	18.5
5	Homemaker	780	17.7	15.8
6	Retired	80	1.8	1.9
7	Unemployed, Able To Work	569	12.9	13.9
8	Unemployed, Unable To Work	133	3.0	2.5
77	Don't Know	1	0.0	0.1
99	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06A

Type = Numeric

Please tell me whether this household or any person who lives in the household has the following items: Electricity?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,280	29.0	28.8
2	No	3,127	70.9	71.2
7	Don't Know	1	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06B

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:) Flush toilet?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	447	10.1	12.9
2	No	3,958	89.8	87.0
7	Don't Know	2	0.0	0.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	0		

Global Adult Tobacco Survey - Kenya, 2014

A06C

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Fixed telephone?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	32	0.7	1.2
2	No	4,374	99.2	98.8
7	Don't Know	2	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06D

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Cell telephone?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,365	76.3	79.7
2	No	1,042	23.6	20.3
7	Don't Know	1	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06E

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Television?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,365	76.3	79.7
2	No	1,042	23.6	20.3
7	Don't Know	1	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06F

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Radio?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,946	66.8	73.2
2	No	1,462	33.2	26.8
7	Don't Know	0	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Global Adult Tobacco Survey - Kenya, 2014

A06G

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:) Refrigerator?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	226	5.1	7.8
2	No	4,180	94.8	92.2
7	Don't Know	2	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06H

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:) Car?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	209	4.7	7.8
2	No	4,198	95.2	92.2
7	Don't Know	1	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06I

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:) Scooter/motorcycle?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	343	7.8	8.8
2	No	4,059	92.1	91.0
7	Don't Know	6	0.1	0.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06J

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following item:) Washing machine?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	20	0.5	1.4
2	No	4,375	99.3	98.1
7	Don't Know	13	0.3	0.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Global Adult Tobacco Survey - Kenya, 2014

A06K

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Clock/watch?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,388	31.5	37.7
2	No	3,018	68.5	62.2
7	Don't Know	2	0.0	0.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06M

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Bicycle?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	883	20.0	24.1
2	No	3,523	79.9	75.9
7	Don't Know	2	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A06N

Type = Numeric

(Please tell me whether this household or any person who lives in the household has the following items:)
Computer?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	234	5.3	7.8
2	No	4,161	94.4	91.8
7	Don't Know	13	0.3	0.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Global Adult Tobacco Survey - Kenya, 2014

A10

Type = Numeric

What is your religion?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Hindu	0	0.0	0.0
2	Muslim	680	15.4	10.4
3	Christian	3,583	81.3	85.6
4	Buddhism	1	0.0	0.0
5	Other.....	20	0.5	0.4
6	None	122	2.8	3.5
77	Don't Know	2	0.0	0.1
99	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

A10A

Type = Character

[SPECIFY]

A11

Type = Numeric

What is your marital status? Would you say single, married, separated, divorced, or widowed?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Single	1,030	23.4	32.7
2	Married	2,791	63.3	58.6
3	Separated.....	144	3.3	2.3
4	Divorced	63	1.4	0.8
5	Widowed.....	380	8.6	5.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	0		

Tobacco Smoking

Global Adult Tobacco Survey - Kenya, 2014

B01

Type = Numeric

Do you *currently* smoke tobacco on a daily basis, less than daily, or not at all?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	361	8.2	6.0
2	Less Than Daily.....	88	2.0	1.8
3	Not At All	3,959	89.8	92.2
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	0		

B02

Type = Numeric

Have you smoked tobacco daily in the past?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	38	43.2	44.3
2	No.....	50	56.8	55.7
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,320		

B03

Type = Numeric

In the *past*, have you smoked tobacco on a daily basis, less than daily, or not at all?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	149	3.8	2.9
2	Less Than Daily.....	78	2.0	2.0
3	Not At All	3,732	94.3	95.0
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	449		

B04

Type = Numeric

How old were you when you first started smoking tobacco *daily*?

Summary

Minimum	5
Maximum	60
Valid Case	340
99 (Don't know/Refused)	21
Blank (Missing/Not Applicable).....	4,047

B05

Type = Numeric

How many years ago did you first start smoking tobacco *daily*?

Summary

Minimum	10
Maximum	58
Valid Case	7
99 (Refused)	14
Blank (Missing/Not Applicable).....	4,387

B06A

Type = Numeric

On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day. Manufactured cigarettes?

Summary

Minimum	0
Maximum	40
Valid Case (Not Including 888).....	361
888 (Smokes Product But Not Every Day)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,047

B06A1

Type = Numeric

On average, how many manufactured cigarettes do you currently smoke each week?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,408

B06B

Type = Numeric

(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.) Hand-rolled cigarettes?

Summary

Minimum	0
Maximum	20
Valid Case (Not Including 888).....	353
888 (Smokes Product But Not Every Day)	8
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,047

B06B1

Type = Numeric

On average, how many hand-rolled cigarettes do you currently smoke each week?

Summary

Minimum	2
Maximum	40
Valid Case	8
999 (Refused)	0
Blank (Missing/Not Applicable)	4,400

B06D

Type = Numeric

(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.) Pipes full of tobacco?

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888)	361
888 (Smokes Product But Not Every Day)	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,047

B06D1

Type = Numeric

On average, how many pipes full of tobacco do you currently smoke each week?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

B06E

Type = Numeric

(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.) Cigars, cheroots, or cigarillos?

Summary

Minimum	0
Maximum	2
Valid Case (Not Including 888)	361
888 (Smokes Product But Not Every Day)	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,047

B06E1

Type = Numeric

On average, how many cigars, cheroots, or cigarillos do you currently smoke each week?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

B06F

Type = Numeric

(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.) Number of shisha/hookar sessions per day?

Summary

Minimum	0
Maximum	1
Valid Case (Not Including 888)	360
888 (Smokes Product But Not Every Day)	1
999 (Refused)	0
Blank (Missing/Not Applicable)	4,047

B06F1

Type = Numeric

On average, how many shisha/hookar sessions do you currently participate in each week?

Summary

Minimum	2
Maximum	2
Valid Case	1
999 (Refused)	0
Blank (Missing/Not Applicable)	4,407

B06G

Type = Numeric

(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.) Any others?

Summary

Minimum	0
Maximum	8
Valid Case (Not Including 888)	361
888 (Smokes Product But Not Every Day)	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,047

B06G1

Type = Character

Please specify the other type you currently smoke.

B06G2

Type = Numeric

On average, how many {B06g1} do you currently smoke each week?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

B07

Type = Numeric

How soon after you wake up do you usually have your first smoke? Would you say within 5 minutes, 6 to 30 minutes, 31 to 60 minutes, or more than 60 minutes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Within 5 minutes	164	45.4	45.3
2	6 to 30 minutes	106	29.4	33.4
3	31 to 60 minutes	42	11.6	9.8
4	More than 60 minutes	48	13.3	11.4
9	Refused	1	0.3	0.1
Blank	Missing/Not Applicable	4,047		

B08

Type = Numeric

How old were you when you first started smoking tobacco *daily*?

Summary

Minimum	7
Maximum	56
Valid Case	37
99 (Don't know/Refused)	1
Blank (Missing/Not Applicable)	4,370

B09

Type = Numeric

How many years ago did you first start smoking tobacco *daily*?

Summary

Minimum
Maximum
Valid Case	0
99 (Refused)	1
Blank (Missing/Not Applicable)	4,407

B10A

Type = Numeric

How many of the following do you currently smoke during a usual week? Manufactured cigarettes?

Summary

Minimum	0
Maximum	888
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10B

Type = Numeric

(How many of the following do you currently smoke during a usual week?) Hand-rolled cigarettes?

Summary

Minimum	0
Maximum	30
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10D

Type = Numeric

(How many of the following do you currently smoke during a usual week?) Pipes full of tobacco?

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10E

Type = Numeric

(How many of the following do you currently smoke during a usual week?) Cigars, cheroots, or cigarillos?

Summary

Minimum	0
Maximum	21
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10F

Type = Numeric

(How many of the following do you currently smoke during a usual week?) Number of shisha/hookar sessions per week?

Summary

Minimum	0
Maximum	2
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10G

Type = Numeric

(How many of the following do you currently smoke during a usual week?) Any others?

Summary

Minimum	0
Maximum	888
Valid Case (Not Including 888).....	88
888 (Smokes Product, But <1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,320

B10G1

Type = Character

Please specify the other type you currently smoke.

B11

Type = Numeric

How old were you when you first started smoking tobacco *daily*?

Summary

Minimum	8
Maximum	66
Valid Case	143
99 (Don't know/Refused)	6
Blank (Missing/Not Applicable).....	4,259

B12

Type = Numeric

How many years ago did you first start smoking tobacco *daily*?

Summary

Minimum	32
Maximum	32
Valid Case	1
99 (Refused)	5
Blank (Missing/Not Applicable).....	4,402

B13A

Type = Numeric

How long has it been since you stopped smoking?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Years	207	91.2	92.2
2	Months.....	13	5.7	4.6
3	Weeks	1	0.4	0.1
4	Days	2	0.9	0.6
5	Less Than 1 Day	1	0.4	1.0
7	Don't Know	3	1.3	1.5
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable	4,181		

B13BYEARS

Type = Numeric

(How long has it been since you stopped smoking?) Years

Summary

Minimum	1
Maximum	73
Valid Case	207
Blank (Missing/Not Applicable).....	4,201

B13BMONTHS

Type = Numeric

(How long has it been since you stopped smoking?) Months

Summary

Minimum	1
Maximum	10
Valid Case	13
Blank (Missing/Not Applicable).....	4,395

B13BWEEKS

Type = Numeric

(How long has it been since you stopped smoking?) Weeks

Summary

Minimum	3
Maximum	3
Valid Case	1
Blank (Missing/Not Applicable).....	4,407

B13BDAYS

Type = Numeric

(How long has it been since you stopped smoking?) Days

Summary

Minimum	10
Maximum	10
Valid Case	2
Blank (Missing/Not Applicable).....	4,406

BB1

Type = Numeric

What was your primary reason for quitting smoking?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Became too expensive	17	7.6	6.6
2	Realized smoking is harmful to health.....	143	63.8	64.5
3	Restrictions on smoking	4	1.8	1.5
4	Pressure from close relatives/friends	15	6.7	9.3
5	For religious purposes	21	9.4	7.9
6	Other reason.....	22	9.8	9.5
7	Don't know	2	0.9	0.6
8	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,184		

BB1A

Type = Character

[SPECIFY]

B14

Type = Numeric

Have you visited a doctor or other health care provider in the past 12 months?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	5	29.4	28.5
2	No	12	70.6	71.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B15

Type = Numeric

How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	1 or 2	3	60.0	62.1
2	3 to 5	2	40.0	37.9
3	6 or more	0	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,403		

Global Adult Tobacco Survey - Kenya, 2014

B16

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you asked if you smoke tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3	60.0	84.4
2	No	2	40.0	15.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,403		

B17

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you advised to quit smoking tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3	100.0	100.0
2	No	0	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,405		

B18A

Type = Numeric

During the past 12 months, did you use any of the following to try to stop smoking tobacco? Counseling, including at a smoking cessation clinic?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3	17.6	25.9
2	No	14	82.4	74.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18B

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Nicotine replacement therapy, such as the patch or gum?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18C Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Other prescription medications?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18D Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Traditional medicines?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18E Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) A quit line or a smoking telephone support line?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18F Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Switching to smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

Global Adult Tobacco Survey - Kenya, 2014

B18F1

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Quit without assistance?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	16	94.1	98.3
2	No	1	5.9	1.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18G

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Anything else?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0.0	0.0	
2	No	17	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,391		

B18G1

Type = Character

Please specify what you used to try to stop smoking.

Smokeless Tobacco

Global Adult Tobacco Survey - Kenya, 2014

C01

Type = Numeric

Do you *currently* use smokeless tobacco on a daily basis, less than daily, or not at all?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	222	5.0	3.3
2	Less Than Daily.....	50	1.1	1.2
3	Not At All	4,133	93.8	95.4
7	Don't Know	3	0.1	0.1
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	0		

C02

Type = Numeric

Have you used smokeless tobacco daily in the past?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	21	42.0	41.8
2	No.....	29	58.0	58.2
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,358		

C03

Type = Numeric

In the *past*, have you used smokeless tobacco on a daily basis, less than daily, or not at all?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	50	1.2	1.3
2	Less Than Daily.....	40	1.0	0.9
3	Not At All	4,042	97.8	97.7
7	Don't Know	1	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	275		

C04

Type = Numeric

How old were you when you first started using smokeless tobacco *daily*?

Summary

Minimum	5
Maximum	70
Valid Case	190
99 (Don't know/Refused)	32
Blank (Missing/Not Applicable).....	4,186

C05

Type = Numeric

How many years ago did you first start using smokeless tobacco *daily*?

Summary

Minimum	2
Maximum	40
Valid Case	12
99 (Refused)	20
Blank (Missing/Not Applicable).....	4,376

C06A

Type = Numeric

On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day. Snuff, by mouth?

Summary

Minimum	0
Maximum	22
Valid Case (Not Including 888).....	218
888 (Uses Product But Not Every Day)	4
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,186

C06A1

Type = Numeric

On average, how many times a week do you currently use snuff, by mouth?

Summary

Minimum	1
Maximum	6
Valid Case	3
999 (Refused)	1
Blank (Missing/Not Applicable).....	4,404

C06B

Type = Numeric

(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.) Snuff, by nose?

Summary

Minimum	0
Maximum	35
Valid Case (Not Including 888).....	219
888 (Uses Product But Not Every Day)	3
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,186

C06B1

Type = Numeric

On average, how many times a week do you currently use snuff, by nose?

Summary

Minimum	1
Maximum	20
Valid Case	3
999 (Refused)	0
Blank (Missing/Not Applicable)	4,405

C06C

Type = Numeric

(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.) Chewing kuber?

Summary

Minimum	0
Maximum	3
Valid Case (Not Including 888)	221
888 (Uses Product But Not Every Day)	0
999 (Refused)	1
Blank (Missing/Not Applicable)	4,186

C06C1

Type = Numeric

On average, how many times a week do you currently use chewing kuber?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

C06D

Type = Numeric

(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.) Betel quid with tobacco (pan)?

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888)	221
888 (Uses Product But Not Every Day)	0
999 (Refused)	1
Blank (Missing/Not Applicable)	4,186

C06D1 Type = Numeric

On average, how many times a week do you currently use betel quid with tobacco (pan)?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

C06E Type = Numeric

(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.) Any others?

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888)	221
888 (Uses Product But Not Every Day)	0
999 (Refused)	1
Blank (Missing/Not Applicable)	4,186

C06E1 Type = Character

Please specify the other type you currently use.

C06E2 Type = Numeric

On average, how many times a week do you currently use {C06e1}?

Summary

Minimum
Maximum
Valid Case	0
999 (Refused)	0
Blank (Missing/Not Applicable)	4,408

C07 Type = Numeric

How soon after you wake up do you usually use smokeless tobacco for the first time? Would you say within 5 minutes, 6 to 30 minutes, 31 to 60 minutes, or more than 60 minutes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Within 5 minutes	96	43.2	39.2
2	6 to 30 minutes	47	21.2	19.3
3	31 to 60 minutes	54	24.3	25.1
4	More than 60 minutes	25	11.3	16.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,186		

C08

Type = Numeric

How old were you when you first started using smokeless tobacco *daily*?

Summary

Minimum	13
Maximum	53
Valid Case	17
99 (Don't know/Refused)	4
Blank (Missing/Not Applicable).....	4,387

C09

Type = Numeric

How many years ago did you first start using smokeless tobacco *daily*?

Summary

Minimum	10
Maximum	30
Valid Case	2
99 (Refused)	2
Blank (Missing/Not Applicable).....	4,404

C10A

Type = Numeric

How many times a week do you usually use the following? Snuff, by mouth?

Summary

Minimum	0
Maximum	888
Valid Case (Not Including 888).....	50
888 (Uses Product But < 1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,358

C10B

Type = Numeric

(How many times a week do you usually use the following?) Snuff, by nose?

Summary

Minimum	0
Maximum	888
Valid Case (Not Including 888).....	50
888 (Uses Product But < 1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,358

C10C

Type = Numeric

(How many times a week do you usually use the following?) Chewing tobacco?

Summary

Minimum	0
Maximum	6
Valid Case (Not Including 888).....	50
888 (Uses Product But < 1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,358

C10D

Type = Numeric

(How many times a week do you usually use the following?)

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888).....	50
888 (Uses Product But < 1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,358

C10E

Type = Numeric

(How many times a week do you usually use the following?) Any others?

Summary

Minimum	0
Maximum	0
Valid Case (Not Including 888).....	50
888 (Uses Product But < 1 Per Week)	0
999 (Refused)	0
Blank (Missing/Not Applicable).....	4,358

C10E1

Type = Character

Please specify the other type you currently use.

C19

Type = Numeric

Thinking about both smoking tobacco and using smokeless tobacco, would you say you use tobacco on a daily basis or less than daily?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	0	0.0	0.0
2	Less Than Daily.....	4	100.0	100.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,404		

Global Adult Tobacco Survey - Kenya, 2014

C11

Type = Numeric

How old were you when you first started using smokeless tobacco *daily*?

Summary

Minimum	5
Maximum	60
Valid Case	46
99 (Don't know/Refused)	4
Blank (Missing/Not Applicable).....	4,358

C12

Type = Numeric

How many years ago did you first start using smokeless tobacco *daily*?

Summary

Minimum	61
Maximum	61
Valid Case	1
99 (Refused)	3
Blank (Missing/Not Applicable).....	4,404

C13A

Type = Numeric

How long has it been since you stopped using smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Years	71	78.9	77.9
2	Months.....	9	10.0	14.8
3	Weeks	3	3.3	1.6
4	Days	1	1.1	1.2
5	Less Than 1 Day	1	1.1	0.4
7	Don't Know	5	5.6	4.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable	4,318		

C13BYEARS

Type = Numeric

(How long has it been since you stopped using smokeless tobacco?) Years

Summary

Minimum	1
Maximum	60
Valid Case	71
Blank (Missing/Not Applicable).....	4,337

C13BMONTHS

Type = Numeric

(How long has it been since you stopped using smokeless tobacco?) Months

Summary

Minimum	1
Maximum	14
Valid Case	9
Blank (Missing/Not Applicable).....	4,399

C13BWEEKS

Type = Numeric

(How long has it been since you stopped using smokeless tobacco?) Weeks

Summary

Minimum	1
Maximum	5
Valid Case	3
Blank (Missing/Not Applicable).....	4,405

C13BDAYS

Type = Numeric

(How long has it been since you stopped using smokeless tobacco?) Days

Summary

Minimum	12
Maximum	12
Valid Case	1
Blank (Missing/Not Applicable).....	4,407

CC1

Type = Numeric

What was your primary reason for quitting use of smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Became Too Expensive	0	0.0	0.0
2	Realized It Is Harmful To Health	42	49.4	45.6
3	Restrictions On Use	3	3.5	1.7
4	Pressure From Close Relatives/Friends	4	4.7	7.5
5	For Religious Purposes	20	23.5	21.1
6	Other Reason	15	17.6	23.8
7	Don't Know	1	1.2	0.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,323		

CC1A

Type = Character

[SPECIFY]

Global Adult Tobacco Survey - Kenya, 2014

C14 Type = Numeric

Have you visited a doctor or other health care provider in the past 12 months?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	7	53.8	82.7
2	No	6	46.2	17.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C15 Type = Numeric

How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	1 Or 2	5	71.4	89.1
2	3 To 5	2	28.6	10.9
3	6 Or More	0	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,401		

C16 Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you asked if you use smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2	28.6	27.8
2	No	5	71.4	72.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,401		

C17 Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you advised to stop using smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2	100.0	100.0
2	No	0	0.0	0.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,406		

Global Adult Tobacco Survey - Kenya, 2014

C18A Type = Numeric

During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?
Counseling, including at a cessation clinic?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	7.7	45.5
2	No	12	92.3	54.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18B Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Nicotine replacement therapy, such as the patch or gum?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	7.7	1.8
2	No	12	92.3	98.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18C Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Other prescription medications?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	7.7	1.8
2	No	12	92.3	98.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18D Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Traditional medicines?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	13	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

Global Adult Tobacco Survey - Kenya, 2014

C18E

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?) A quit line or a telephone support line?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	13	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18F1

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?) Quit without assistance?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	10	76.9	87.7
2	No	3	23.1	12.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18G

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?) Anything else?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	7.7	4.9
2	No	12	92.3	95.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,395		

C18G1

Type = Character

Please specify what you used to try to stop using smokeless tobacco.

Cessation

D01

Type = Numeric

During the past 12 months, have you tried to stop smoking?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	247	55.0	50.6
2	No	201	44.8	49.3
9	Refused	1	0.2	0.0
Blank	Missing/Not Applicable	3,959		

D02A

Type = Numeric

Thinking about the last time you tried to quit, how long did you stop smoking?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Months.....	114	46.2	42.6
2	Weeks	59	23.9	28.3
3	Days	49	19.8	16.7
4	Less Than One Day (24 Hours)	22	8.9	10.6
7	Don't Know	3	1.2	1.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D02BMONTHS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop smoking?) Months

Summary

Minimum	1
Maximum	11
Valid Case	114
Blank (Missing/Not Applicable)	4,294

D02BWEEKS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop smoking?) Weeks

Summary

Minimum	1
Maximum	4
Valid Case	59
Blank (Missing/Not Applicable)	4,349

D02BDAYS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop smoking?) Days

Summary

Minimum	1
Maximum	15
Valid Case	49
Blank (Missing/Not Applicable).....	4,359

DD1

Type = Numeric

What was your primary reason for trying to give up smoking the last time you tried to quit?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Became too expensive	44	17.8	18.4
2	Realized smoking is harmful to health	126	51.0	51.7
3	Restrictions on smoking	9	3.6	3.7
4	Pressure from close relatives/friends	17	6.9	4.1
5	For religious purposes.....	16	6.5	5.3
6	Other reason	34	13.8	16.4
7	Don't know.....	1	0.4	0.5
8	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

DD1A

Type = Character

[SPECIFY]

D03A

Type = Numeric

During the past 12 months, did you use any of the following to try to stop smoking tobacco? Counseling, including at a smoking cessation clinic?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	25	10.1	9.3
2	No	222	89.9	90.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03B

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Nicotine replacement therapy, such as the patch or gum?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	12	4.9	3.6
2	No	235	95.1	96.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03C Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Other prescription medications?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	6	2.4	1.5
2	No	241	97.6	98.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03D Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Traditional medicines?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4	1.6	0.8
2	No	243	98.4	99.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03E Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) A quit line or a smoking telephone support line?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	0.4	0.1
2	No	246	99.6	99.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03F Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Switching to smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2	0.8	1.0
2	No	245	99.2	99.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

Global Adult Tobacco Survey - Kenya, 2014

D03F1

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Quit without assistance?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	181	73.3	68.8
2	No	66	26.7	31.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03G

Type = Numeric

(During the past 12 months, did you use any of the following to try to stop smoking tobacco?) Anything else?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	7	2.8	2.3
2	No	240	97.2	97.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,161		

D03G1

Type = Character

Please specify what you used to try to stop smoking.

D04

Type = Numeric

Have you visited a doctor or other health care provider in the past 12 months?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	132	29.6	30.7
2	No	314	70.4	69.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	3,962		

D05

Type = Numeric

How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	1 or 2	92	69.7	68.7
2	3 to 5	27	20.5	21.8
3	6 or More	12	9.1	9.5
9	Refused	1	0.8	0.1
Blank	Missing/Not Applicable	4,276		

Global Adult Tobacco Survey - Kenya, 2014

D06

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you asked if you smoke tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	69	51.1	37.6
2	No	66	48.9	62.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,273		

D07

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you advised to quit smoking tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	55	79.7	86.2
2	No	14	20.3	13.8
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,339		

D08

Type = Numeric

Which of the following best describes your thinking about quitting smoking? I am planning to quit within the next month, I am thinking about quitting within the next 12 months, I will quit someday but not within the next 12 months, or I am not interested in quitting?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Quit Within The Next Month	115	25.6	26.0
2	Thinking Within The Next 12 Months	83	18.5	17.3
3	Quit Someday, But Not Next 12 Months	144	32.1	34.2
4	Not Interested In Quitting	66	14.7	11.9
7	Don't Know	41	9.1	10.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	3,959		

D09

Type = Numeric

During the past 12 months, have you tried to stop using smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	87	32.0	39.4
2	No	184	67.6	59.6
9	Refused	1	0.4	0.9
Blank	Missing/Not Applicable	4,136		

D10A

Type = Numeric

Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Months.....	33	37.9	41.5
2	Weeks	18	20.7	17.6
3	Days	25	28.7	27.6
4	Less Than One Day (24 Hours)	10	11.5	12.7
7	Don't Know	1	1.1	0.7
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,321		

D10BMONTHS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?) Months

Summary

Minimum	1
Maximum	11
Valid Case	33
Blank (Missing/Not Applicable).....	4,375

D10BWEEKS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?) Weeks

Summary

Minimum	1
Maximum	3
Valid Case	18
Blank (Missing/Not Applicable).....	4,390

D10BDAYS

Type = Numeric

(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?) Days

Summary

Minimum	1
Maximum	20
Valid Case	25
Blank (Missing/Not Applicable).....	4,383

Global Adult Tobacco Survey - Kenya, 2014

DD2

Type = Numeric

What was your primary reason for trying to give up using smokeless tobacco the last time you tried to quit?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Became too expensive	17	19.5	18.8
2	Realized it is harmful to health	35	40.2	33.3
3	Restrictions on use	4	4.6	3.3
4	Pressure from close relatives/friends	5	5.7	15.4
5	For religious purposes	9	10.3	5.2
6	Other reason	16	18.4	23.7
7	Don't know	1	1.1	0.3
8	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

DD2A

Type = Character

[SPECIFY]

D11A

Type = Numeric

During the past 12 months, have you used any of the following to try to stop using smokeless tobacco? Counseling, including at a cessation clinic?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	5	5.7	5.3
2	No	82	94.3	94.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11B

Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?) Nicotine replacement therapy, such as the patch or gum?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	87	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11C

Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?) Other prescription medications?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	1.1	0.1
2	No	86	98.9	99.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

Global Adult Tobacco Survey - Kenya, 2014

D11D Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?)
Traditional medicines?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1	1.1	0.2
2	No	86	98.9	99.8
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11E Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?)
A quit line or a telephone support line?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	0	0.0	0.0
2	No	87	100.0	100.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11F1 Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?)
Quit without assistance?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	67	77.0	77.1
2	No	20	23.0	22.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11G Type = Numeric

(During the past 12 months, have you used any of the following to try to stop using smokeless tobacco?)
Anything else?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	6	6.9	8.4
2	No	81	93.1	91.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,321		

D11G1 Type = Character

Please specify what you used to try to stop using smokeless tobacco.

Global Adult Tobacco Survey - Kenya, 2014

D12

Type = Numeric

Have you visited a doctor or other health care provider in the past 12 months?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	63	25.3	33.8
2	No	186	74.7	66.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,159		

D13

Type = Numeric

How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	1 Or 2	38	60.3	58.4
2	3 To 5	16	25.4	25.1
3	6 Or More	9	14.3	16.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,345		

D14

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you asked if you use smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	16	22.5	27.9
2	No	55	77.5	72.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,337		

D15

Type = Numeric

During any visit to a doctor or health care provider in the past 12 months, were you advised to stop using smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	11	68.8	62.1
2	No	5	31.3	37.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,392		

D16

Type = Numeric

Which of the following best describes your thinking about quitting smokeless tobacco? I am planning to quit within the next month, I am thinking about quitting within the next 12 months, I will quit someday but not within the next 12 months, or I am not interested in quitting?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Quit Within The Next Month	49	18.0	22.3
2	Thinking Within The Next 12 Months	30	11.0	12.0
3	Quit Someday, But Not Next 12 Months	50	18.4	15.1
4	Not Interested In Quitting	121	44.5	38.9
7	Don't Know	21	7.7	11.0
9	Refused	1	0.4	0.7
Blank	Missing/Not Applicable	4,136		

Secondhand Smoke

Global Adult Tobacco Survey - Kenya, 2014

E01

Type = Numeric

Which of the following best describes the rules about smoking inside of your home? Smoking is allowed inside of your home, smoking is generally not allowed inside of your home but there are exceptions, smoking is never allowed inside of your home, or there are no rules about smoking in your home?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Allowed.....	403	9.1	9.4
2	Not Allowed, But Exceptions.....	271	6.1	6.2
3	Never Allowed.....	3,315	75.2	75.4
4	No Rules.....	409	9.3	8.6
7	Don't Know.....	10	0.2	0.4
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	0		

E02

Type = Numeric

Inside your home, is smoking allowed in every room?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes.....	277	41.1	36.8
2	No.....	390	57.9	61.5
7	Don't Know.....	7	1.0	1.6
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	3,734		

E03

Type = Numeric

How often does *anyone* smoke inside your home? Would you say daily, weekly, monthly, less than monthly, or never?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Daily.....	412	37.7	36.6
2	Weekly.....	137	12.5	12.7
3	Monthly.....	79	7.2	7.3
4	Less Than Monthly.....	138	12.6	11.3
5	Never.....	245	22.4	21.7
7	Don't Know.....	81	7.4	10.2
9	Refused.....	1	0.1	0.1
Blank	Missing/Not Applicable.....	3,315		

E04

Type = Numeric

Do you currently work outside of your home?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes.....	2,288	51.9	46.1
2	No/Don't Work.....	2,120	48.1	53.9
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	0		

Global Adult Tobacco Survey - Kenya, 2014

E05 Type = Numeric

Do you usually work indoors or outdoors?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Indoors	642	28.1	27.9
2	Outdoors.....	1,378	60.2	59.3
3	Both	267	11.7	12.8
9	Refused.....	1	0.0	0.0
Blank	Missing/Not Applicable.....	2,120		

E06 Type = Numeric

Are there any indoor areas at your work place?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	255	18.5	19.7
2	No.....	1,112	80.6	79.3
7	Don't Know	12	0.9	1.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	3,029		

E07 Type = Numeric

Which of the following best describes the indoor smoking policy where you work? Smoking is allowed anywhere, smoking is allowed only in some indoor areas, smoking is not allowed in any indoor areas, or there is no policy?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Allowed Anywhere.....	71	6.1	5.5
2	Allowed Only In Some Indoor Areas	91	7.8	6.2
3	Not Allowed In Any Indoor Areas	867	74.5	74.7
4	There Is No Policy.....	126	10.8	13.4
7	Don't Know	9	0.8	0.2
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	3,244		

E08 Type = Numeric

During the past 30 days, did anyone smoke in indoor areas where you work?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	251	21.6	20.7
2	No.....	880	75.6	75.6
7	Don't Know	33	2.8	3.6
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	3,244		

Global Adult Tobacco Survey - Kenya, 2014

E09

Type = Numeric

During the past 30 days, did you visit any government buildings or government offices?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,052	23.9	21.9
2	No	3,331	75.6	77.7
7	Don't Know	24	0.5	0.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E10

Type = Numeric

Did anyone smoke inside of any government buildings or government offices that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	140	13.3	12.5
2	No	902	85.7	86.4
7	Don't Know	10	1.0	1.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	3,356		

E11

Type = Numeric

During the past 30 days, did you visit any health care facilities?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,900	43.1	43.2
2	No	2,496	56.6	56.6
7	Don't Know	11	0.2	0.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E12

Type = Numeric

Did anyone smoke inside of any health care facilities that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	171	9.0	8.5
2	No	1,708	89.9	90.5
7	Don't Know	21	1.1	0.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	2,508		

Global Adult Tobacco Survey - Kenya, 2014

E13 Type = Numeric

During the past 30 days, did you visit any restaurants?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	1,972	44.7	45.4
2	No	2,426	55.0	54.5
7	Don't Know	9	0.2	0.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E14 Type = Numeric

Did anyone smoke inside of any restaurants that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	395	20.0	21.2
2	No	1,563	79.3	78.0
7	Don't Know	14	0.7	0.8
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	2,436		

E25 Type = Numeric

During the past 30 days, did you visit any bars or night clubs?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	774	17.6	16.2
2	No	3,592	81.5	82.9
7	Don't Know	41	0.9	0.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E26 Type = Numeric

Did anyone smoke inside of any bars or night clubs that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	642	82.9	86.1
2	No	128	16.5	13.2
7	Don't Know	4	0.5	0.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	3,634		

Global Adult Tobacco Survey - Kenya, 2014

E15

Type = Numeric

During the past 30 days, did you use any public transportation?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	2,763	62.7	64.9
2	No	1,637	37.1	35.0
7	Don't Know	7	0.2	0.1
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E16

Type = Numeric

Did anyone smoke inside of any public transportation that you used in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	392	14.2	12.4
2	No	2,351	85.1	86.7
7	Don't Know	20	0.7	0.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1,645		

E21

Type = Numeric

During the past 30 days, did you visit any universities?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	309	7.0	7.9
2	No	4,083	92.6	91.8
7	Don't Know	15	0.3	0.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E22

Type = Numeric

Did anyone smoke inside of any universities that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	85	27.5	30.2
2	No	216	69.9	67.6
7	Don't Know	8	2.6	2.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,099		

Global Adult Tobacco Survey - Kenya, 2014

E19

Type = Numeric

During the past 30 days, did you visit any other schools or educational facilities?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,524	34.6	38.4
2	No	2,871	65.1	61.4
7	Don't Know	12	0.3	0.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E20

Type = Numeric

Did anyone smoke inside of any schools or educational facilities that you visited in the past 30 days?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	156	10.2	9.3
2	No	1,358	89.1	90.2
7	Don't Know	10	0.7	0.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	2,884		

E17

Type = Numeric

Based on what you know or believe, does breathing other people's smoke cause serious illness in non-smokers?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,831	86.9	88.0
2	No	221	5.0	5.5
7	Don't Know	355	8.1	6.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E18A

Type = Numeric

Based on what you know or believe, does breathing other people's smoke cause any of the following?
Heart disease in adults?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,096	70.3	72.1
2	No	340	7.7	7.7
7	Don't Know	971	22.0	20.2
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

Global Adult Tobacco Survey - Kenya, 2014

E18B Type = Numeric

(Based on what you know or believe, does breathing other people's smoke cause any of the following?)
Lung illnesses in children?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,456	78.4	82.2
2	No	269	6.1	4.3
7	Don't Know	682	15.5	13.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E18C Type = Numeric

(Based on what you know or believe, does breathing other people's smoke cause any of the following?)
Lung cancer in adults?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,512	79.7	81.1
2	No	219	5.0	5.3
7	Don't Know	676	15.3	13.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E29A Type = Numeric

Do you support the law that prohibits smoking inside of hospitals?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,318	98.0	98.5
2	No	50	1.1	0.8
7	Don't Know	38	0.9	0.7
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	1		

E29B Type = Numeric

Do you support the law that prohibits smoking inside of workplaces?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,287	97.3	98.0
2	No	61	1.4	1.1
7	Don't Know	59	1.3	0.9
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

Global Adult Tobacco Survey - Kenya, 2014

E29C

Type = Numeric

Do you support the law that prohibits smoking inside of restaurants?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,249	96.4	97.3
2	No	86	2.0	1.3
7	Don't Know	72	1.6	1.3
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E29D

Type = Numeric

Do you support the law that prohibits smoking inside of night-clubs?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,588	81.4	81.4
2	No	533	12.1	12.1
7	Don't Know	286	6.5	6.4
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E29E

Type = Numeric

Do you support the law that prohibits smoking inside of public transportation vehicles?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,285	97.2	98.2
2	No	80	1.8	1.0
7	Don't Know	41	0.9	0.7
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	1		

E29F

Type = Numeric

Do you support the law that prohibits smoking inside of schools?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,320	98.0	98.8
2	No	56	1.3	0.7
7	Don't Know	31	0.7	0.5
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E29G

Type = Numeric

Do you support the law that prohibits smoking inside universities?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,217	95.7	96.6
2	No	96	2.2	1.4
7	Don't Know	94	2.1	2.0
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

E29H

Type = Numeric

Do you support the law that prohibits smoking inside of places of worship?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,331	98.3	98.9
2	No	47	1.1	0.6
7	Don't Know	29	0.7	0.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	1		

EE1

Type = Numeric

Are you aware that the Tobacco Control Act of 2007 protects you from exposure to secondhand smoke and that you can report anyone who smokes in your presence to the authorities?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,341	53.1	54.7
2	No	2,065	46.9	45.3
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	1		

Economics

F01A Type = Numeric

The next few questions are about the last time you purchased cigarettes for yourself to smoke. The last time you bought cigarettes for yourself, how many cigarettes did you buy?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Cigarettes	373	90.3	89.8
2	Packs.....	36	8.7	9.1
3	Cartons	0	0.0	0.0
4	Other Specify.....	0	0.0	0.0
5	Never Bought Cigarettes	2	0.5	1.1
9	Refused	2	0.5	0.1
Blank	Missing/Not Applicable	3,995		

F01C Type = Character

[SPECIFY THE UNIT]

F01BCIG Type = Numeric

(The last time you bought cigarettes for yourself, how many cigarettes did you buy?) [ENTER NUMBER OF CIGARETTES (NOT IN PACKS OR CARTONS)]

Summary

Minimum	1
Maximum	100
Valid Case	373
Blank (Missing/Not Applicable).....	4,035

F01BPACK Type = Numeric

(The last time you bought cigarettes for yourself, how many cigarettes did you buy?) [ENTER NUMBER OF PACKS]

Summary

Minimum	1
Maximum	35
Valid Case	36
Blank (Missing/Not Applicable).....	4,372

F01BCART Type = Numeric

(The last time you bought cigarettes for yourself, how many cigarettes did you buy?) [ENTER NUMBER OF CARTONS]

Summary

Minimum
Maximum
Valid Case	0
Blank (Missing/Not Applicable).....	4,408

F01BOTHER

Type = Numeric

(The last time you bought cigarettes for yourself, how many cigarettes did you buy?) [ENTER NUMBER OF {F01c}]

Summary

Minimum
Maximum
Valid Case	0
Blank (Missing/Not Applicable).....	4,408

F01DPAK

Type = Numeric

Did each pack contain 10 cigarettes, 20 cigarettes, or another amount?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	10.....	0	0.0	0.0
2	20.....	35	97.2	99.3
7	Other Amount.....	1	2.8	0.7
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,372		

F01DPACKA

Type = Numeric

How many cigarettes were in each pack?

Summary

Minimum	40
Maximum	40
Valid Case	1
Blank (Missing/Not Applicable).....	4,407

F01DCART

Type = Numeric

Did each carton contain 100 cigarettes, 200 cigarettes, or another amount?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	100.....	0		0.0
2	200.....	0		0.0
7	Other Amount.....	0		0.0
9	Refused.....	0		0.0
Blank	Missing/Not Applicable.....	4,408		

F01DCARTA Type = Numeric

How many cigarettes were in each carton?

Summary

Minimum
Maximum
Valid Case	0
Blank (Missing/Not Applicable).....	4,408

F01DOTHER Type = Numeric

How many cigarettes were in each {F01c}?

Summary

Minimum
Maximum
Valid Case	0
9999 (Refused).....	0
Blank (Missing/Not Applicable).....	4,408

F02 Type = Numeric

In total, how much money did you pay for this purchase?

Summary

Minimum	3
Maximum	120
Valid Case	408
99999 (Don't know/Refused)	1
Blank (Missing/Not Applicable).....	3,999

F03 Type = Numeric

What brand did you buy the last time you purchased cigarettes for yourself?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Sportsman	258	62.8	55.2
2	Embassy Kings.....	2	0.5	0.2
3	Embassy Lights	5	1.2	1.2
4	Sm	14	3.4	2.7
5	Roaster	21	5.1	5.9
6	Dunhill Lights	2	0.5	2.0
7	Dunhill Red	0	0.0	0.0
8	Other.....	33	8.0	9.9
9	Supermatch	75	18.2	22.9
99	Refused	1	0.2	0.1
Blank	Missing/Not Applicable	3,997		

Global Adult Tobacco Survey - Kenya, 2014

F03A Type = Character

[SPECIFY BRAND]

F04 Type = Numeric

The last time you purchased cigarettes for yourself, where did you buy them?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Vending Machine.....	1	0.2	0.2
2	Shop	265	64.5	65.2
3	Supermarket.....	1	0.2	0.1
4	Street Vendor	6	1.5	1.4
5	Military Store	1	0.2	0.0
6	Duty-Free Shop	0	0.0	0.0
7	Kiosks	123	29.9	30.7
8	School/University Canteen	0	0.0	0.0
9	Internet	0	0.0	0.0
10	Outside The Country	0	0.0	0.0
11	From Another Person	3	0.7	0.6
12	Other.....	9	2.2	1.8
77	Don't Remember	0	0.0	0.0
99	Refused	2	0.5	0.1
Blank	Missing/Not Applicable	3,997		

F04A Type = Character

[SPECIFY LOCATION]

F05 Type = Numeric

Were these cigarettes filtered or non-filtered?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Filtered	363	88.3	88.1
2	Non-Filtered.....	39	9.5	9.8
7	Don't Know	7	1.7	2.0
9	Refused	2	0.5	0.1
Blank	Missing/Not Applicable	3,997		

F06 Type = Numeric

Were these cigarettes labeled as light, mild or low tar?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Light.....	97	23.6	22.3
2	Mild	63	15.3	12.0
3	Low Tar	17	4.1	3.7
4	None Of The Above.....	67	16.3	15.5
7	Don't Know	166	40.4	46.4
9	Refused	1	0.2	0.0
Blank	Missing/Not Applicable	3,997		

Global Adult Tobacco Survey - Kenya, 2014

FF1

Type = Numeric

The last time you purchased cigarettes, did you pay for them before they were handed to you or were they handed to you before paying for them?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Paid For Them Then Handed To Me	362	88.1	90.4
2	Picked Them And Then Paid For Them.....	45	10.9	9.1
7	Don't Know	2	0.5	0.4
9	Refused.....	2	0.5	0.1
Blank	Missing/Not Applicable	3,997		

FF2

Type = Numeric

Do you think cigarettes are expensive, reasonably priced, or cheap?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Expensive.....	294	71.5	72.5
3	Reasonably Priced	85	20.7	18.8
5	Cheap.....	27	6.6	7.4
7	Don't Know	4	1.0	1.3
9	Refused.....	1	0.2	0.1
Blank	Missing/Not Applicable	3,997		

FF2A

Type = Numeric

Do you think the expensive cost of cigarettes prevents you from buying as many as you would like?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	200	68.0	69.2
2	No.....	90	30.6	30.2
7	Don't Know	4	1.4	0.6
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable	4,114		

FF2B

Type = Numeric

Do you think the cheap cost of cigarettes results in you smoking more?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	13	48.1	56.1
2	No.....	14	51.9	43.9
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable	4,381		

Global Adult Tobacco Survey - Kenya, 2014

FF3

Type = Numeric

If the price for your cigarettes were to double, would you continue to smoke as before, switch to cheaper products, start smoking less, or quit smoking?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Smoke As Before	77	18.7	13.7
2	Switch To Cheaper Products	54	13.1	10.7
3	Smoke Less.....	100	24.3	28.6
4	Quit Smoking.....	159	38.7	42.6
7	Don't Know / Hard To Say.....	20	4.9	4.3
9	Refused.....	1	0.2	0.1
Blank	Missing/Not Applicable.....	3,997		

Media

Global Adult Tobacco Survey - Kenya, 2014

G201A1

Type = Numeric

In the last 30 days, have you noticed any information in *newspapers or in magazines* about the dangers of use or that encourages quitting of Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	935	21.2	23.7
2	No	2,796	63.4	62.1
7	Not Applicable	675	15.3	14.3
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	1		

G201A2

Type = Numeric

In the last 30 days, have you noticed any information in *newspapers or in magazines* about the dangers of use or that encourages quitting of Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	441	11.8	11.0
2	No	3,289	88.2	89.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	677		

G201B1

Type = Numeric

In the last 30 days, have you seen any information on *television* about the dangers of use or that encourages quitting of Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,100	25.0	25.6
2	No	2,571	58.4	59.4
7	Not Applicable	734	16.7	15.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G201B2

Type = Numeric

In the last 30 days, have you seen any information on *television* about the dangers of use or that encourages quitting of Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	560	15.3	13.4
2	No	3,111	84.7	86.6
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	736		

Global Adult Tobacco Survey - Kenya, 2014

G201C1

Type = Numeric

In the last 30 days, have you heard any information on the *radio* about the dangers of use or that encourages quitting of Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,105	47.8	49.3
2	No	1,917	43.5	43.3
7	Not Applicable	383	8.7	7.4
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G201C2

Type = Numeric

In the last 30 days, have you heard any information on the *radio* about the dangers of use or that encourages quitting of Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	1,126	28.0	27.3
2	No	2,895	72.0	72.6
9	Refused	2	0.0	0.1
Blank	Missing/Not Applicable	385		

G201D1

Type = Numeric

In the last 30 days, have you noticed any information on *billboards* about the dangers of use or that encourages quitting of Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	716	16.3	16.1
2	No	3,083	70.0	72.7
7	Not Applicable	606	13.8	11.1
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G201D2

Type = Numeric

In the last 30 days, have you noticed any information on *billboards* about the dangers of use or that encourages quitting of Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	309	8.1	7.0
2	No	3,487	91.8	92.8
9	Refused	4	0.1	0.2
Blank	Missing/Not Applicable	608		

Global Adult Tobacco Survey - Kenya, 2014

G201E1

Type = Numeric

In the last 30 days, have you noticed any information *somewhere else* about the dangers of use or that encourages quitting of Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	568	12.9	14.8
2	No	3,837	87.1	85.2
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G201E1A

Type = Character

Please specify where.

G201E2

Type = Numeric

In the last 30 days, have you noticed any information *somewhere else* about the dangers of use or that encourages quitting of Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	161	3.7	3.7
2	No	4,244	96.3	96.3
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G201E2A

Type = Character

Please specify where.

G202

Type = Numeric

In the last 30 days, did you notice any health warnings on cigarette packages?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,260	51.3	54.2
2	No	1,058	24.0	21.4
3	Didn't See Any Cig Packages	1,086	24.6	24.4
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	2		

G203

Type = Numeric

In the last 30 days, have warning labels on cigarette packages led you to think about quitting?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	251	67.7	70.1
2	No	113	30.5	29.3
3	Didn't See Any Cig Packages	7	1.9	0.6
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable	4,037		

Global Adult Tobacco Survey - Kenya, 2014

G202A

Type = Numeric

In the last 30 days, did you notice any health warnings on smokeless tobacco products?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	359	8.1	8.1
2	No	2,136	48.5	47.3
3	Didn't See Any Smokeless Products.....	1,909	43.3	44.6
9	Refused.....	2	0.0	0.0
Blank	Missing/Not Applicable.....	2		

G203A

Type = Numeric

In the last 30 days, have warning labels on smokeless tobacco products led you to think about quitting?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	10	55.6	60.4
2	No	8	44.4	39.6
7	Don't Know	0	0.0	0.0
9	Refused.....	0	0.0	0.0
Blank	Missing/Not Applicable.....	4,390		

G204A1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *stores where the products are sold*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	222	5.0	5.2
2	No	3,973	90.2	90.8
7	Don't Know	210	4.8	4.0
9	Refused.....	1	0.0	0.0
Blank	Missing/Not Applicable.....	2		

G204A2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *stores where the products are sold*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	114	2.7	2.9
2	No	4,080	97.2	97.1
9	Refused.....	2	0.0	0.0
Blank	Missing/Not Applicable.....	212		

Global Adult Tobacco Survey - Kenya, 2014

G204B1

Type = Numeric

In the last 30 days, have you seen any advertisements or signs promoting the following tobacco products on *television*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	102	2.8	2.6
2	No	3,478	94.7	95.3
7	Not Applicable	91	2.5	2.1
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	736		

G204B2

Type = Numeric

(In the last 30 days, have you seen any advertisements or signs promoting the following tobacco products on *television*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	51	1.4	0.9
2	No	3,526	98.5	99.0
9	Refused	4	0.1	0.1
Blank	Missing/Not Applicable	827		

G204C1

Type = Numeric

In the last 30 days, have you heard any advertisements promoting the following tobacco products on the *radio*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	149	3.7	4.4
2	No	3,808	94.7	94.0
7	Not Applicable	65	1.6	1.6
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	385		

G204C2

Type = Numeric

(In the last 30 days, have you heard any advertisements promoting the following tobacco products on the *radio*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	69	1.7	2.0
2	No	3,887	98.2	98.0
9	Refused	2	0.1	0.0
Blank	Missing/Not Applicable	450		

Global Adult Tobacco Survey - Kenya, 2014

G204D1

Type = Numeric

In the last 30 days, have you noticed any advertisements promoting the following tobacco products on *billboards*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	61	1.6	1.9
2	No	3,675	96.7	96.5
7	Not Applicable	63	1.7	1.6
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	608		

G204D2

Type = Numeric

(In the last 30 days, have you noticed any advertisements promoting the following tobacco products on *billboards*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	32	0.9	0.6
2	No	3,703	99.1	99.4
9	Refused	2	0.1	0.0
Blank	Missing/Not Applicable	671		

G204E1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *posters*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	96	2.2	2.5
2	No	3,995	90.7	92.1
7	Not Applicable	314	7.1	5.4
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G204E2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *posters*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	47	1.1	1.1
2	No	4,041	98.8	98.8
9	Refused	4	0.1	0.1
Blank	Missing/Not Applicable	316		

Global Adult Tobacco Survey - Kenya, 2014

G204F1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *newspapers or in magazines*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	62	1.7	2.3
2	No	3,588	96.2	95.7
7	Not Applicable	80	2.1	2.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	677		

G204F2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *newspapers or in magazines*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	32	0.9	0.7
2	No	3,615	99.0	99.3
9	Refused	4	0.1	0.0
Blank	Missing/Not Applicable	757		

G204G1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *cinemas*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	70	1.6	2.0
2	No	3,174	72.0	73.6
7	Not Applicable	1,161	26.4	24.4
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G204G2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *cinemas*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	30	0.9	0.8
2	No	3,213	99.0	99.1
9	Refused	2	0.1	0.0
Blank	Missing/Not Applicable	1,163		

Global Adult Tobacco Survey - Kenya, 2014

G204H1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on the *internet*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	51	1.2	1.6
2	No	3,063	69.5	69.8
7	Not Applicable	1,290	29.3	28.6
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	2		

G204H2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on the *internet*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	27	0.9	1.1
2	No	3,087	99.1	98.9
9	Refused	2	0.1	0.0
Blank	Missing/Not Applicable	1,292		

G204I1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public transportation vehicles or stations*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	59	1.3	1.3
2	No	4,096	93.0	93.2
7	Not Applicable	250	5.7	5.4
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G204I2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public transportation vehicles or stations*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	34	0.8	0.6
2	No	4,120	99.1	99.3
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	252		

Global Adult Tobacco Survey - Kenya, 2014

G204J1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public walls*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	93	2.1	1.8
2	No	3,968	90.1	91.9
7	Not Applicable	344	7.8	6.3
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G204J2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public walls*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	51	1.3	0.7
2	No	4,009	98.7	99.2
9	Refused	2	0.0	0.2
Blank	Missing/Not Applicable	346		

G204K1

Type = Numeric

In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products *anywhere else*? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	38	0.9	1.4
2	No	4,361	99.0	98.5
9	Refused	7	0.2	0.1
Blank	Missing/Not Applicable	2		

G204K1A

Type = Character

Please specify where.

G204K2

Type = Numeric

(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products *anywhere else*?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	11	0.2	0.3
2	No	4,393	99.7	99.6
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	2		

G204K2A

Type = Character

Please specify where.

G205

Type = Numeric

In the last 30 days, have you noticed any sport or sporting event that is associated with cigarette brands or cigarette companies?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	78	1.8	2.0
2	No	4,133	93.8	94.8
7	Don't Know	194	4.4	3.2
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G205A

Type = Numeric

In the last 30 days, have you noticed any sport or sporting event that is associated with smokeless tobacco brands or smokeless tobacco companies?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	27	0.6	0.7
2	No	4,141	94.0	95.3
7	Don't Know	237	5.4	4.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G206A1

Type = Numeric

In the last 30 days, have you noticed any free samples of the following tobacco products? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	61	1.4	2.1
2	No	4,139	93.9	93.8
7	Don't Know	205	4.7	4.1
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G206A2

Type = Numeric

(In the last 30 days, have you noticed any free samples of the following tobacco products?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted <u>Percent</u>	Weighted <u>Percent</u>
1	Yes	84	1.9	2.3
2	No	4,097	93.0	93.1
7	Don't Know	224	5.1	4.6
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

Global Adult Tobacco Survey - Kenya, 2014

G206B1

Type = Numeric

In the last 30 days, have you noticed any of the following tobacco products sold at sale prices?
Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	313	7.1	7.5
2	No	3,794	86.1	86.7
7	Don't Know	298	6.8	5.8
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G206B2

Type = Numeric

(In the last 30 days, have you noticed any of the following tobacco products sold at sale prices?)
Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	212	4.8	5.8
2	No	3,873	87.9	88.2
7	Don't Know	320	7.3	6.1
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G206C1

Type = Numeric

In the last 30 days, have you noticed any coupons for the following tobacco products? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	44	1.0	0.9
2	No	3,972	90.1	90.6
7	Don't Know	389	8.8	8.5
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

G206C2

Type = Numeric

(In the last 30 days, have you noticed any coupons for the following tobacco products?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	30	0.7	0.8
2	No	3,975	90.2	90.4
7	Don't Know	400	9.1	8.8
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	2		

Global Adult Tobacco Survey - Kenya, 2014

G206D1

Type = Numeric

In the last 30 days, have you noticed any free gifts or special discount offers on other products when buying any of the following tobacco products? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	76	1.7	2.1
2	No	4,075	92.5	93.1
7	Don't Know	253	5.7	4.8
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	3		

G206D2

Type = Numeric

(In the last 30 days, have you noticed any free gifts or special discount offers on other products when buying any of the following tobacco products?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	52	1.2	1.7
2	No	4,089	92.8	93.2
7	Don't Know	262	5.9	5.1
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	3		

G206E1

Type = Numeric

In the last 30 days, have you noticed any clothing or other items with a brand name or logo of the following tobacco products? Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	447	10.1	10.1
2	No	3,776	85.7	86.6
7	Don't Know	180	4.1	3.3
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	3		

G206E2

Type = Numeric

(In the last 30 days, have you noticed any clothing or other items with a brand name or logo of the following tobacco products?) Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	109	2.5	2.4
2	No	4,116	93.4	94.3
7	Don't Know	179	4.1	3.4
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	3		

Global Adult Tobacco Survey - Kenya, 2014

G206F1

Type = Numeric

In the last 30 days, have you noticed any promotions in the mail for the following tobacco products?
Cigarettes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	15	0.3	0.2
2	No	3,906	88.7	89.4
7	Don't Know	482	10.9	10.4
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	3		

G206F2

Type = Numeric

(In the last 30 days, have you noticed any promotions in the mail for the following tobacco products?)
Smokeless tobacco?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	12	0.3	0.2
2	No	3,902	88.6	89.3
7	Don't Know	488	11.1	10.5
9	Refused	3	0.1	0.0
Blank	Missing/Not Applicable	3		

Knowledge, Attitudes & Perceptions

Global Adult Tobacco Survey - Kenya, 2014

H01

Type = Numeric

The next question is asking about *smoking* tobacco. Based on what you know or believe, does smoking tobacco cause serious illness?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,012	91.1	92.8
2	No	198	4.5	4.2
7	Don't Know	194	4.4	3.0
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	3		

H02A

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Stroke blood clots in the brain that may cause paralysis?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,146	48.7	48.8
2	No	575	13.1	15.3
7	Don't Know	1,682	38.2	35.8
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	3		

H02B

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Heart attack?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,103	70.4	70.4
2	No	299	6.8	8.6
7	Don't Know	1,001	22.7	21.0
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	3		

H02C

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Lung cancer?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,886	88.2	90.2
2	No	77	1.7	1.6
7	Don't Know	439	10.0	8.3
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

Global Adult Tobacco Survey - Kenya, 2014

H02D

Type = Numeric

Based on what you know or believe, does smoking tobacco cause High blood pressure?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,644	60.0	60.7
2	No	354	8.0	10.0
7	Don't Know	1,403	31.9	29.3
9	Refused	3	0.1	0.0
Blank	Missing/Not Applicable	4		

H02E

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Bladder cancer?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,225	50.5	51.5
2	No	466	10.6	11.2
7	Don't Know	1,710	38.8	37.3
9	Refused	3	0.1	0.0
Blank	Missing/Not Applicable	4		

H02F

Type = Numeric

Based on what you know or believe, does smoking tobacco cause throat cancer?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,491	79.3	82.2
2	No	165	3.7	3.3
7	Don't Know	745	16.9	14.6
9	Refused	3	0.1	0.0
Blank	Missing/Not Applicable	4		

H02G

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Stomach cancer?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,590	58.8	60.9
2	No	403	9.2	10.5
7	Don't Know	1,409	32.0	28.6
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

Global Adult Tobacco Survey - Kenya, 2014

H02H

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Miscarriage?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted		Weighted
			<u>Percent</u>		<u>Percent</u>
1	Yes	2,367	53.7		56.6
2	No	465	10.6		9.7
7	Don't Know	1,570	35.6		33.7
9	Refused	2	0.0		0.0
Blank	Missing/Not Applicable	4			

H02I

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Infertility?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted		Weighted
			<u>Percent</u>		<u>Percent</u>
1	Yes	1,906	43.3		44.5
2	No	722	16.4		17.7
7	Don't Know	1,773	40.3		37.8
9	Refused	3	0.1		0.0
Blank	Missing/Not Applicable	4			

H02J

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Impotence?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted		Weighted
			<u>Percent</u>		<u>Percent</u>
1	Yes	1,642	37.3		38.8
2	No	830	18.8		19.6
7	Don't Know	1,930	43.8		41.5
9	Refused	2	0.0		0.0
Blank	Missing/Not Applicable	4			

H02K

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Bone loss (osteoporosis)?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	Unweighted		Weighted
			<u>Percent</u>		<u>Percent</u>
1	Yes	1,790	40.6		44.0
2	No	637	14.5		14.4
7	Don't Know	1,975	44.8		41.6
9	Refused	2	0.0		0.0
Blank	Missing/Not Applicable	4			

Global Adult Tobacco Survey - Kenya, 2014

H02L

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Premature birth?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,217	50.3	54.4
2	No	532	12.1	11.8
7	Don't Know	1,653	37.5	33.8
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

H02M

Type = Numeric

Based on what you know or believe, does smoking tobacco cause Low birth weight?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	2,446	55.5	59.3
2	No	435	9.9	9.5
7	Don't Know	1,521	34.5	31.1
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

H02_2

Type = Numeric

Do you think that some types of cigarettes *could* be less harmful than other types, or are all cigarettes equally harmful?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Could Be Less Harmful	648	14.7	17.4
2	All Equally Harmful	3,395	77.1	75.1
7	Don't Know	359	8.2	7.5
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

H02_3

Type = Numeric

Do you believe cigarettes are addictive?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	4,071	92.4	93.7
2	No	105	2.4	2.1
7	Don't Know	227	5.2	4.2
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	4		

Global Adult Tobacco Survey - Kenya, 2014

H03

Type = Numeric

Based on what you know or believe, does using *smokeless tobacco* cause serious illness?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,589	81.5	83.4
2	No	198	4.5	4.1
7	Don't Know	616	14.0	12.5
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	4		

H02_3B

Type = Numeric

Do you believe smokeless tobacco products are addictive?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,914	88.9	89.6
2	No	126	2.9	2.8
7	Don't Know	363	8.2	7.6
9	Refused	1	0.0	0.0
Blank	Missing/Not Applicable	4		

H05

Type = Numeric

Would you favor or oppose increasing taxes on tobacco products?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Yes	3,545	80.5	80.1
2	No	663	15.1	15.8
7	Don't Know	194	4.4	4.1
9	Refused	2	0.0	0.0
Blank	Missing/Not Applicable	4		

H05A

Type = Numeric

Would you strongly favor or somewhat favor increasing taxes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Strongly Favor	3,276	92.4	92.6
2	Somewhat Favor	253	7.1	7.1
7	Don't Know	12	0.3	0.2
9	Refuse	4	0.1	0.1
Blank	Missing/Not Applicable	863		

Global Adult Tobacco Survey - Kenya, 2014

H05B

Type = Numeric

Would you strongly oppose or somewhat oppose increasing taxes?

<u>Value</u>	<u>Label</u>	<u>Frequency</u>	<u>Unweighted Percent</u>	<u>Weighted Percent</u>
1	Strongly Oppose.....	442	66.7	66.1
2	Somewhat Oppose.....	214	32.3	33.2
7	Don't Know	7	1.1	0.7
9	Refused	0	0.0	0.0
Blank	Missing/Not Applicable.....	3,745		